ORIGINALLY FILED Atty. Docket N . Serial No. Form PTO-1449 (modified) 09/943,984 UTSC:484USC1/TMB RECEIVED FList of Patents and Publications for Applicant's **Applicants** Mien-Chie Hung and Naoto T. Ueno MAR 1 3 2002 ORMATION DISCLOSURE STATEMENT TECH CENTER 1600/2900 Filing Date: Group: (Use several sheets if necessary) August 31, 2001 1632 Other Art **Foreign Patent Documents Patent Documents** See Page 1 See Page 1 See Page 1

#### **U.S. Patent Documents**

Exam. Init.	Ref. Des.	Document Number	Date	Name	Class	Sub Class	Filing Date if App.
de	Al	5,643,567	7/01/97	Hung, et al.			
	A2	5,641,484	6/24/97	Hung et al.	424	93.2	
	A3	4,394,448	7/19/83	Szoka, Jr. et al.	435	172	
	A4	5,776,743	7/7/98	Frisch			÷
	A5	5,651,964	7/9/97	Hung et al.	424	93.2	
	A6	5,814,315	9/29/98	Hung et al.	424	93.2	
le	A7	6,271,207	8/7/01	Cristiano et al.	514	44	•

#### **Foreign Patent Documents**

Exam. Init.	Ref. Des.	Document Number	Date	Country	Class	Sub Class	Translation Yes/No
de	В1	WO 95/16051	06-15-95	PCT			
	B2	WO 95/13813 A	05/26/95	PCT			
	В3	WO 94/21115	09/29/94	PCT			
	B4	WO 93/03769	03/04/93	PCT			
	B5	WO 92/10573 A	06/25/92	PCT	,		
	В6	WO 90/15595	12/27/90	PCT			
de	В7	WO 90/08759 A	08/09/90	PCT			

#### Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
de	C1	Akiyama et al., "Genistein, a Specific Inhibitor of Tyrosine-Specific Protein Kinases," J. Biol. Chem., 262(12):5592-5595, 1987.

25083033.1

Examiner: Deboral Cronel Date Considered: 11-15-04

#### **COPY OF PAPERS**

	<u> </u>		
Form PTO-1449 (modified)	Atty. Docket No.' UTSC:484USC1/TMB	Serial N . 09/943,984	
List of Patents and Publications for Applicant's	Applicants Mien-Chie Hung and Naoto T. Ueno		RECEIVED
ONFORMATION DISCLOSURE STATEMENT			MAR 1 3 2002
(Use several sheets if necessary)	Filing Date: August 31, 2001	Group: 1632	TECH CENTER 1600/2900
			A

SU.S. Patent Documents
See Page 1

### Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation				
di	C2	Bacus et al., Differentiation of cultured human breast cancer cells (AU-565) and MCF-7) associated with loss of cell surface HER-2/neu antigen. Mol. Carcinog., 3:350-362, 1990.				
	C3	Bacus, et al., Tumor-inhibitory monoclonal antibodies to the HER-2/neu receptor induce differentiation of human breast cancer cells. Cancer Res. 52: 2580-2589, 1992.				
	C4	Bargmann & Weinberg, "Increased Tyrosine Kinase Activity Associated with the Protein Encoded by the Activated neu Oncogene," Proc. Natl. Acad. Sci. USA, 85:5394-5398, 1988.				
	C5	Bargmann et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185," Cell, 45:649-657, 1986.				
C6		Bargmann et al., "The neu Oncogene Encodes an Epidermal Growth Factor Receptor-Related Protein," Nature, 319:226-230, 1986.				
	C7	Berk and Sharp, "Structure of the Adenovirus 2 Early mRNAs," Cell, 14:695-711, 1978.				
	C8	Berk, "Adenovirus Promoters and E1A Transactivation," Ann. Rev. Genet., 20:45-79, 1986.				
	C9	Bishop JM "The molecular genetics of cancer," Science, 235 (4786), p305-11, 1987.				
	C10	Brader et al., "Adenovirus E1A Expression Enhances the Sensitivity of an Ovarian Cancer Line to Multiple Cytotoxic Agents Through an Apoptotic Mechanisms," Proceedings of the American Association for Cancer Research, 37:30, 1996. (abstract)				
	C11	Brunet et al., "Concentration Dependence of Transcriptional Transactivation in Inducible E1A-Containing Human Cells," Mol. Cell. Bio., 8(11):4799-4807 (1988).				
	C12	Buchman et al., Appendix A: The SV40 Nucleotide Sequence, DNA Tumor Viruses, 799-813.				
	C13	Chan et al., "Selective inhibition of the growth of ras-transformed human bronchial epithelial cells by emodin, a protein-tyrosine inhibitor," Biochem. Biophys. Res. Commun., 193:1152-1158, 1993.				
de	C14	Chang, et al., "Paclitaxel by 3-hour infusion followed by 96-hour infusion on failure in patients with refractory malignant disease," Seminars in Oncology, 22(3, Supp.6):124-127, 1995.				

25083033.1

Examiner:	Delver	ed Cronel	Date C nsid red:	11/15/04	

						_
Form PTO-1449 (modified)  List of Patents and Publications for Applicant's			Atty. D cket N . UTSC:484USC1/TMB	Serial No. 09/943,984		
			Applicants			エVCU
O I P EINER	RMATION DISCLOSURE S	STATEMENT	Mien-Chie Hung and Na		MAR 1	_
ER 2 5 2002 15	(Use several sheets if necessa		Filing Date: August 31, 2001	Group: 1632	TECH CENTER	
THE PROCESS OF THE PROPERTY OF	Patent Documents See Page 1	1	Patent Documents See Page 1	Other See Pa		_
THADEMAN	See Fage 1	1 3	ee ruge 1	JEE 1 I	ige i	-

Exam. Init.	Ref. Des.	Citation		
de	C15	Chevalier, Fumoleau, Kerbrat, Dieras, Roche, Krakowski, Azli, Bayssas, Lentz, Van Glab "Decetaxel is a major cytotoxic drug for the treatment of advanced breast cancer: a phase trial of the Clinical Screening Cooperative Group of the European Organization for Researand Treatment of Cancer," <i>J Clin. Oncol.</i> , 13:314-322, 1995.		
	C16	Coussens et al., "Tyrosine Kinase Receptor with Extensive Homology to EGF Receptor Shares Chromosomal Location with neu Oncogene," Science, 230:1132-1139, 1985.		
	C17	Douglas et al., "Modulation of transformation of primary epithelial cells by the second exon of the Ad55 E1A12S gene," Oncogene, 6:2093-2103, 1991.		
	C18	Downward et al., "Close Similarity of Epidermal Growth Factor Receptor and v-erb-B Oncogene Protein Sequences," Nature, 307:521-527, 1984.		
	C19	Egan et al., "Transformation by Oncogenes Encoding Protein Kinases Induces the Metastatic Phenotype," Science, 238:202-205, 1987.		
	C20	Felgner et al., "Gene Therapeutics: The Direct Delivery of Purified Genes in vivo and Their Application as Drugs, Without the Use of Retroviruses, Is Discussed," Nature, 349:351-352 (1991).		
	C21	Felgner, P.L., and Ringold, G.M., Cationic liposome-mediated transfection, <i>Nature</i> , 337:387-388, 1989.		
	C22	Figge et al., "Prediction of Similar Transforming Regions in Simian Virus 40 Large T, Adenovirus E1A, and myc Oncoproteins," Journal of Virology, 62:(5)1814-1818, 1988.		
	C23	Freedman and Shin, "Use of Nude Mice for Studies on the Tumorigenicity of Animal Cells," The Nude Mouse in Experimental and Clinical Research, 1978.		
	C24	Friche et al., "Effect of anthracycline analogs on photolabelling of p-glycoprotein by [125I]iodomycin and [3H]azidopine: relation to lipophilicity and inhibition of daunorubicin transport in multidrug resistant cells," Br. J. Cancer, 67(2):226-231, 1993.		
	C25	Frisch et al., "Adenovirus E1A Represses Protease Expression and Inhibits Metastasis of Human Tumor Cells," Oncogene, 5:75-83 (1990).		
de	C26	Fung et al., "Activation of the Cellular Oncogene c-erbB by LTR Insertion: Molecular Basis for Induction of Erythroblastosis by Avian Leukosis Virus," Cell, 33:357-368, 1983.		

25083033.1

Examiner:	Deliveral	Cronel	Date C nsidered:	11/15/04

		OPY OF PAPERS			Page 4 01 12
	Form PTO-1449 (modified)	RIGINALLYFILED	Atty. D cket N . LITSC:484USC1/TME	Serial No. 09/943,984	-n/CD
0	List of Patents and Publications for A	Applicants Mien-Chie Hung and Naoto T. Uen		RECEIVED MAR 1 3 2002	
	(Use several sheets if necessar	ry)	Filing Date: August 31, 2001	Gr up: 1632	TECH CENTER 1600/290
EE.	U.S. Patent Documents See Page 1	1	tent Documents Page 1	Other A	Art

Exam. Init.	Ref. Des.	Citation				
de	C27	Gazit et al., "Chemo-adoptive immunotherapy of nude nice implanted with human colorectal carcinoma and melanoma cell lines," Cancer Immunology Immunotherapy, 35:135-144, 1992.				
	C28	Giovanella, Stehlin, Shepard, Williams, "Correlation between response to chemotherapy of human tumors in patients and in nude mice," <i>Cancer</i> , 52:1146-1152, 1982.				
	C29	Goo, X., and Huang, L., A Novel Cationic Liposome Reagent for Efficient Transfection of Mammalian Cells, <i>Biochemical and Biophysical Research Communication</i> , 179:(1)280-285, 1991.				
	C30	Haley et al., "Transformation Properties of Type 5 Adenovirus Mutants that Differentially Express the E1A Gene Products," Proc. Natl. Acad. Sci. USA, 81:5734-5738, 1984.				
	C31	Harlow et al., "Monoclonal Antibodies Specific for Adenovirus Early Region 1A Proteins: Extensive Heterogeneity in Early Region 1A Products," J. of Virology, 55(3):533-546 (1985).				
	C32	Hearing et al., "Sequence-Independent Autoregulation of the Adenovirus Type 5 E1A Transcription Unit," Mol. Cell. Bio., 5(11):3214-3221 (1985).				
	C33	Houweling et al., "Partial Transformation of Primary Rat Cells by the Leftmost 4.5% Fragment of Adenovirus 5 DNA," J. Virology, 105:537-550, 1980.				
	C34	Hudziak et al., "Amplified Expression of the HER2/ERBB2 Oncogene Induces Resistance to Tumor Necrosis Factor a in NIH 3T3 Cells," <i>Proc. Natl. Acad. Sci. USA</i> , 85:5102-5106, 1988.				
	C35	Hudziak et al., "Increased expression of the putative growth factor p185 $J^2$ causes transformation and tumorigenesis of NIH 3T3 cells," Proc. Natl. Acad. Sci. USA, 84:7159-7163, 1987.				
	C36	Hung et al., "Amplification of the proto-neu oncogene facilitates oncogenic activation by a single point mutation," Proc. Natl. Acad. Sci. USA, 86:2545-2548, 1989.				
	C37	Hung et al., "Molecular cloning of the neu gene: absence of gross structural alteration in oncogenic alleles," Proc. Natl. Acad. Sci. USA, 83:261-264, 1986.				
	C38	Hung, "The neu Proto-Oncogene and Breast Cancer," Cancer Bull., 40:300-303, 1988.				
de	C39	Hung, et al., "Transcriptional Repression of the HER-2/neu Protooncogene by Transforming Oncogenes from DNA Tumor Virus," Proceedings of the American Association for Cancer Research, Washington, DC, 31:13, Abstract No. 74.				

25083033.1

Examiner: Olyphak	Ċ	rosel Da	ate C nsider d:	11-15-04
-------------------	---	----------	-----------------	----------

•	DIGINALLY EIL	ED	•	
Form PTO-1449 (modified)	RIGINALLY FIL	Atty. Docket No. UTSC:484USC1/TMB	Serial N 09/943,	984
List of Patents and Publications for Ap	oplicant's	Applicants Mien-Chie Hung and	Naot T. Uen	RECEIVED
INFORMATION DISCLOSURE S		*		MAR 1 3 2002
(Use several sheets if necessary	y)	Filing Date: August 31, 2001	Group: 1632	TECH CENTER 1600/2900
8. Patent Documents	Foreign 1	Patent Documents	Oti	ner Art
(Ose several sheets if necessary	S	See Page 1	See	Page 1

Exam. Init.	Ref. Des.	Citation					
DE C40		Jayasuriya et al., "Emodin, a protein tyrosine kinase inhibitor from Polygonum cuspidatum," J. Nat. Prod., 55:696-698, 1992.					
1	C41	Jinsart et al., "Inhibition of Myosin Light Chain Kinase, cAMP-Dependent Protein Kinase, Protein Kinase C and of Plant CA-Dependent Protein Kinase by Anthraquinones," <i>Biological Chemistry</i> , 373:903-910, 1992.					
	C42	Kalderon, D., and Smith, A.E., "In Vitro Mutagenesis of a Putative DNA Binding Domain of SV40 Large-T," Virology, 139:109-137, 1984.					
	C43	Katsumata et al., "Prevention of breast tumor development in vivo by down-regulation of the p185 <sup>neu</sup> receptor" Nature Med., 1: 644-648. 1995					
	C44	Kelner, Mcmorris, Estes, Starr, Samson, Varki, Taetle, "Nonresponsiveness of the metastatic human lung carcinoma MV522 xenograft to conventional anticancer agents," <i>Anticancer Res.</i> , 15:867-872, 1995.					
	C45	Kern et al., "p185 <sup>neu</sup> expression in human lung adenocarcinomas predicts shortened survival," Cancer Res., 50:5184-5191, 1990.					
	C46	Kiyokawa N; Yan DH; Brown ME; Hung MC "Cell cycle-dependent regulation of p185neu: a relationship between disruption of this regulation and transformation." <i>Proc Natl Acad Sci USA</i> , 92 (4) p1092-61995.					
	C47	Kraus et al., "Overexpression of the EGF Receptor-Related Proto-Oncogene erbB-2 in Human Mammary Tumor Cell Lines by Different Molecular Mechanisms," EMBO J., 6(3):605-610, 1987.					
	C48	Kupchan and Karim, "Tumor Inhibitors 114. Aloe Emodin: Antileukemia Principle Isolated from Rhamnus frangula," L. Lloydia, 39:223-224, 1976.					
	C49	Land et al., "Cellular Oncogenes and Multistep Carcinogenesis," Science, 222:771-776, 1983.					
	C50	Lee, Bruckner, Szrajer, Brenne, Schindelheim, Andretti, "Taxol inhibits growth of Mesothelioma xenografts," Anticancer Res., 15:693-696, 1995.					
E	C51	Lehvaslaiho et al., "A chimeric EGF-R-neu proto-oncogene allows EGF to regulate neu tyrosine kinase and cell transformation," EMBO Journal, 8:(1)159-166, 1989.					

25083033.1

Examiner: Deberal Crener	Date C nsid r d:	11/15/04
EXAMINER: initial if reference considered, whether or not citation in conformance and not considered. Include copy of this form with		

Exam. Init.	Ref. Des.	Citation					
OL C52		Leibiger et al., "Expression of exogenous DNA in rat liver cells after liposome-mediated transfection in vivo," Biochemcical and Biophysical Research Communications, 174:(3)1223-1231, 1991.					
	C53	Li et al., "Method of Identifiying Inhibitors of Oncogenic Transformation: Selective Inhibition of Cell Growth in Serum-Free Medium," Oncogene, 8:1731-1735, 1993.					
	C54	Lichtenstein et al., "Resistance of Human Ovarian Cancer Cells to Tumor Necrosis Factor and Lymphokine-Activated Killer Cells: Correlation with Expression of HER2/neu Oncogenes," Cancer Research, 50:7364-7370,1990.					
	C55	Liu et al., "Evidence for Involvement of Tyrosine Phosphorylation in Taxol-Induced Apoptosis in a Human Ovarian Tumor Cell Line," <i>Biochem. Pharmacol.</i> , 48(6):1265-1272, 1994.					
	C56	Lupu et al., "Direct Interaction of a Ligand for the erbB2 Oncogene Product with the EGF Receptor and p185erbB2," Science, 249:1552-1554, 1990.					
	C57	Matin and Hung, "Negative Regulation of the Neu Promoter by the SV40 Large T Antigen," Cell Growth & Differentiation, 4:1051-1056, 1993.					
	C58	Matin, "Regulation of neu gene expression by the simian virus 40 large T antigen and tumor suppressors Rb and p53," Diss. Abstr. Int. B, 54(5):2365, 1993.					
	C59	Minna et al., "Cancer of the lung," In: Devita, V.T., Hellmen, S., Rosenberg, S.A. (eds.) In: Principles and Practice of Oncology, Philadelphia: J.B. Lippincott, pp591-705, 1989.					
	C60	Montell et al., "Complete Transformation by Adenovirus 2 Requires Both E1A Proteins," Cell, 36:951-961, 1984.					
	C61	Moran et al., "Multiple Functional Domains in the Adenovirus E1A Gene," Cell, 48:177-178 (1987).					
	C62	Müller et al., "Differential Expression of Cellular Oncogenes During Pre- and Postnatal Development of the Mouse," Nature, 299:640-644, 1982.					
	C63	Muller et al., "Single-Step Induction of mammary adenocarcinoma in transgenic mice bearing the activated c-neu oncogene," Cell, 54:105-115, 1988.					
Ne.	C64	Muthuswamy et al., "Mammary tumors expressing the neu proto-oncogene possess elevated c-src tyrosine kinase activity," Mol. Cell. Biol., 14:735-743, 1994.					

25083033.1

Examiner:	Deligeral	) Crench	Date Consid r d:	11/15/04
-----------	-----------	----------	------------------	----------

	Form 1	PTO-1449 (modified) OF	RIGINALLY FILED	Atty. Docket No. UTSC:484USC1/TM	Serial No. B 09/943,984	BECEIVED
	List of Par	tents and Publications for A	applicant's	Applicants		
61	PEIDO	RMATION DISCLOSURE	STATEMENT	Mien-Chie Hung and	Naoto T. Uen	MAR 1 8 ZUUZ
	2 5 2002 W	(Use several sheets if necess	ary)	Filing Date: August 31, 2001	Group: 1632	TECH CENTER 1600/2900
2 FEB	ŲŠ.	. Patent Documents	Foreign Pa	atent Documents	Other	
PETER	THE MARKET	See Page 1	Se	e Page 1	See Pa	ge 1

Exam. Init.	Ref. Des.	Citation					
€ C65		Nabel et al., "Site-Specific Gene Expression in Vivo by Direct Gene Transfer into the Arterial Wall," Science, 249:1285-88 (1990).					
	C66	Nicolau et al., Liposomes as Carriers for Gene Transfer in Vivo, Biology Cell, 47:121-130, 1983.					
	C67	Nicolau et al., Liposomes as Carriers for in Vivo Gene Transfer and Expression, Methods in Enzymology, 149:157-177, 1987.					
	C68	Nicolau et al., Liposomes for Gene Transfer and Expression in Vivo, Colloids and Surfaces, 14:325-337, 1985.					
	C69	Offringa et al., "A Novel Function of the Transforming Domain of E1a: Repression of AP-1 Activity," Cell, 62:527-538, 1990.					
	C70	Plowman et al., "Ligand-specific activation of HER4/p180erbB4 a fourth member of the epidermal growth factor family," Proc. Natl. Acad. Sci. USA 90:1746-1750, 1993.					
	C71	Pozzatti et al., "Primary Rat Embryo Cells Transformed by One or Two Oncogenes Show Different Metastatic Potentials," Science, 232:223-227, 1986.					
	C72	Pozzatti et al., "The E1a Gene of Adenovirus Type 2 Reduces the Metastatic Potential of ras- Transformed Rat Embryo Cells," Mol. Cell Biol., 8(7):2984-2988, 1988.					
,	C73	Reardon, D.B. and M. Hung, "Downstream Signal Transduction Defects That Suppress Transformation in Two Revertant Cell Lines Expressing Activated Rat neu Oncogene," J. Biol Chem., 268(24):18136-18142, 1993.					
	C74	Ruley, "Adenovirus Early Region 1A Enables Viral and Cellular Transforming Genes to Transform Primary Cells in Culture," <i>Nature</i> , 304:602-606 (1983).					
	C75	Rustgi et al., "Amino-terminal domains of c-myc and N-myc proteins mediate binding to the retinoblastoma gene product," Nature, 352:541-544, 1991.					
	C76	Sassone-Corsi & Borrelli, "Promoter Trans-Activation of Protooncogenes c-fos and c-myc, but not c-Ha-ras, by Products of Adenovirus Early Region 1A," Proc. Natl. Acad. Sci. USA, 84:6430-6433, 1987.					
de	C77	Schechter et al., "The neu oncogene: an erb-B-related gene encoding a 185,000-M, tumour antigen," Nature, 312:513-516, 1984.					

25083033.1

Examiner:	Deliveral	Cinch Date C nsidered:	11/18/04
-----------	-----------	------------------------	----------

		C	OPY OF PAPERS	\		
	Forn	n PTO-1449 (modified) O	RIGINALLY FILE	Atty. Docket N .	Serial N	
Ų.		-		UTSC:484USC1/TMB	09/943,98	RECEIVED
	List of	Patents and Publications for A	pplicant's	Applicants		(12021122
	_			Mien-Chie Hung and Na t	T. Ueno	MAR 1 3 2002
OIF	E THE	FORMATION DISCLOSURE S	TATEMENT			
/	2			Filing Date:	Gr up:	TECH CENTER 1600/2900
FEB 2 S	5 2002	(Use several sheets if necessa	ry) 	August 31, 2001	1632	
	32)	J.S. Patent Documents	Foreign Pa	atent Documents	Othe	r Art
Bra Bass	-ato	See Page 1	Se	e Page 1	See F	Page 1
~ M / / / / / / / / / / / / / / / / / /	CREZ					

Exam. Init.	Ref. Des.	Citation
De C78		Schecter et al., "The neu Gene: An erbB-Homologous Gene Distinct from and Unlinked to the Gene Encoding the EGF Receptor," Science, 229:976-978, 1985.
	C79	Schneider et al., "Differential expression of the c-erbB-2 gene in human non-small cell lung cancer," Cancer Res., 49:4968-4971, 1981.
	C80	Semba et al., "A v-erbB-related protooncogene, c-erbB-2, is distinct from the c-erbB-1/epidermal growth factor-receptor gene and is amplified in a human salivary gland adenocarcinoma," Proc. Natl. Acad. Sci. USA, 82:6497-6501, 1985.
	C81	Senear et al., "Morphological Transformation of Established Rodent Cell Lines by High-Level Expression of the Adenovirus Type 2 E1a Gene," Mol. Cell. Bio., 6(4):1253-1260 (1986).
	C82	Seshadri et al., "The Significance of Oncogene Amplification in Primary Breast Cancer," Int. J. Cancer, 43:270-272, 1989.
	C83	Shepard, H. M. and G. D. Lewis, "Resistance of Tumor Cells to Tumor Necrosis Factor," J. of Clin. Immunol. 8(5):333-341, 1988.
	C84	Shih et al., "Transforming genes of carcinomas and neuroblastomas introduced into mouse fibroblasts", Nature (London), 290:261-264, 1981.
	C85	Shih et al., "Transforming Genes of Carcinomas and Neuroblastomas Introduced into Mouse Fibroblasts," Nature 290:261-264, 1981.
	C86	Shin, "Use of Nude Mice for Tumorigenicity Testing and Mass Propagation," Methods in Enzymology, 58:370-379, 1979.
	C87	Siegel PM; Dankort DL; Hardy WR; Muller WJ, "Novel activating mutations in the neu proto- oncogene involved in induction of mammary tumors." Mol Cell Biol, 14 (11) p7068-77, 1994.
	C88	Sistonen et al., "Activation of the neu tyrosine kinase induces the fos/jun transcription factor complex, the glucose transporter, and ornithine decarboxylase," J. Cell. Biol., 109:1911-1919, 1989.
	C89	Slamon et al., "Human Breast Cancer: Correlation of Relapse and Survival with Amplification of the HER-2/neu Oncogene," Science, 235:177-182, 1987.
c	C90	Slamon et al., "Studies of the HER2/neu proto-oncogene in human breast and ovarian cancer," Science, 244:707-712, 1989.

25083033.1

Examiner:	Delias	al	Con	el)Dat	Consid r d:	11/	15/04
CHANNING	Wat Markey					DEDOO	D. Daniella a Abancah

Form	PTO-1449 (modified)	COPY OF PAPER ORIGINALLY FILE	Atty. Docket No. UTSC:484USC1/TME	Serial No. 09/943,984	<del>RECE</del> IVED
List of Patents and Publications for Applicant's  INFORMATION DISCLOSURE STATEMENT		Applicants Mien-Chie Hung and	Naoto T. Ueno	MAR 1 5 2002	
FFB 2 5 2002	(Use several sheets if necess		Filing Date: August 31, 2001	Group: 1632	TECH CENTER 1600/290
PARADEMARIE	S. Patent Documents  See Page 1		atent Documents ee Page 1	Other See Pa	

Exam. Init.	Ref. Des.	Citation					
de C91		Smith & Ziff, "The Amino-Terminal Region of the Adenovirus Serotype 5 E1a Protein Performs Two Separate Functions when Expressed in Primary Baby Rat Kidney Cells," Mol. Cell Biol., 8(9):3882-3890, 1988.					
	C92	Spandidos DA; Yiagnisis M; Papadimitriou K; Field JK "ras, c-myc and c-erbB-2 oncoproteins in human breast cancer," Anticancer Res. 9 (5) p1385-93, 1989					
	C93	Steeg et al., "Altered Expression of NM23, a Gene Associated with Low Tumor Metastatic Potential, during Adenovirus 2 Ela Inhibition of Experimental Metastasis," Cancer Res., 48:6550-6554, 1988.					
	C94	Stern, Heffernan, Weinberg, "p185, a product of the neu proto-oncogene, is a receptor like protein associated with tyrosine kinase activity," <i>Mol. Cell. Biol.</i> , 6:1729-1740, 1986.					
	C95	Suen et al., "Transcriptional Regulation of Neu Oncogene," Breast Cancer Research and Treatment, 14(1):Abstract 213, 1989.					
	C96	Suen, T., and Hung, M., "Multiple cis- and trans-Acting Elements Involved in Regulation of the neu Gene," Molecular and Cellular Biology, 10:(12)6306-6315, 1990.					
	C97	Teramota et al., "Serum Enzyme Immunoassay Kit for the Detection of c-erbB-2 Oncoprotein," Annual AACI Meeting, Abstract # 1446, 1991.					
	C98	Tooze, J., "Comparison of the Regions of Polyoma Virus and SV40 That Code for Small and Large T Antigens," <i>Molecular Biology of Tumor Viruses</i> , 2nd ed. Part 2, 857-861.					
	C99	Tsai et al., "Correlation of intrinsic chemoresistance of non-small-cell lung cancer cell lines with HER-1/neu gene expression but not with ras gene mutations," J. Natl. Cancer Inst., 85:897-901, 1993.					
	C100	Tsai et al., "Enhanced chemoresistance by elevation of the levels of p184 <sup>neu</sup> in the HER-2/neu transfected human lung cancer cells," J. Natl. Cancer Inst., 87:682-684, 1995.					
	C101	Tzeng et al., "Breast cancer formation in transgenic animals induced by the whey acidic protein SV40 T antigen (WAP-SV-T) hybrid gene," Oncogene, 8:1965-1971, 1993.					
de	C102	Ullrich, A., and J. Schlessinger, "Signal Transduction by Receptors with Tyrosine Kinase Activity," Cell, 61:203-212, 1990.					

250	011	111	4
Z34		1.3.3.	

Examiner: Deliveral (	rone Date C nsidered: //	istory
EXAMINER: initial if reference considered, whe	ther or not citation is in conformance with MPEP60	09; Draw line through citation if not
in conformance and not considered. Include cop	by of this form with next communication to applica-	nt.

		C	OPY OF PAPERS			1 460 10 01 12	_
V	Form	PTO-1449 (modified) OF	RIGINALLY FILED	Atty. Docket No. UTSC:484USC1/TMB	Serial N 09/943,98	34	
	List of I	Patents and Publications for A	Applicant's	Applicants Mien-Chie Hung and Nao	ito T. Ueno	RECEI	VED
01	PE DYF	ORMATION DISCLOSURE	STATEMENT	Mich Chie Hang and Mac	<u> </u>	MAR 1 3	2002
EFA 2	5 2002 E	(Use several sheets if necess	sary)	Filing Date: August 31, 2001	Group: 1632	TECH CENTER	1600/29 <b>0</b> (
是	- E	S. Patent Documents	Foreign Pa	ntent Documents	Othe	er Art	
Ars m	A CHART	See Page 1	Se	e Page 1	See I	Page 1	

Exam. Init.	Ref. Des.	Citation					
De C103		van de Vijver et al., "NEU-Protein OverExpression in Breast Cancer: Association with Comedo-Type Ductal Carcinoma in situ and Limited Prognostic Value in Stage II Breast Cancer," The New England Journal of Medicine, 319(19):1239-1245, 1988.					
	C104	Vousden and Jat, "Functional Similarity between HPV16E7, SV40 Large T and Adenovirus E1a Proteins," Oncogene, 4:153-158, 1989.					
	C105	Wallich et al., "Abrogation of Metastatic Properties of Tumour Cells by de novo Expression of H-2K Antigens Following H-2 Gene Transfection," Nature, 315:301-305, 1985.					
	C106	Weinberg, R.A., "The Action of Oncogenes in the Cytoplasm and Nucleus," Science, 230:770-776, 1985.					
	C107	Weiner et al., "Expression of the neu gene-encoded protein (p185 <sup>neu</sup> ) in human non-small cell carcinomas of the lung," Cancer Res., 50:421-425, 1990.					
	C108	Whyte et al., "Association between an Oncogene and an Anti-Oncogene: The Adenovirus E1A Proteins Bind to the Retinoblastoma Gene Product," Nature, 334:124-129 (1988).					
	C109	Whyte et al., "Two Regions of the Adenovirus Early Region 1A Proteins Are Required for Transformation," J. Virol., 62(1):257-265, 1988.					
	C110	Whyte et al., "Cellular Targets for Transformation by the Adenovirus E1A Proteins," Cell, 56:67-75, 1989.					
	C111	Wolff et al., "Differential Effects of the Simian Virus 40 Early Genes on Mammary Epithelial Cell Growth, Morphology, and Gene Expression," Experimental Cell Research, 202:67-76, 1992.					
	C112	Yamamoto et al., "Similarity of protein encoded by the human c-erbB-2 gene to epidermal growth factor receptor," Nature, 319: 230-234, 1986.					
	C113	Yarden and Weinberg, "Experimental Approaches to Hypothetical Hormones: Detection of a Candidate Ligand of the neu Protooncogene," Proc. Natl. Acad. Sci. USA, 86:3179-3183, 1989.					
	C114	Yu and Hung, "Expression of activated rat <i>neu</i> oncogene is sufficient to induce experimental metastasis in 3T3 cells," <i>Oncogene</i> , 6:1991-1996, 1991.					
de	C115	Yu et al., "Overexpression of c-erbB-2/neu in breast cancer cells confers increased resistance to Taxol via mdr-1 independent mechanisms," <i>Oncogene</i> , 13:1359-1365, 1996.					

25083033.1

								4
Examiner:	Delevah	) (	ronch	Date C	nsider d:	11/	15/	04

		WALLY FILED			·
<b>¥</b>	Form PTO-1449 (modified)	ACCI FICED	Atty. Docket No. UTSC:484USC1/TMB	Serial No. 09/943,984	
OIP	List of Patents and Publications for Ap		Applicants Mien-Chie Hung and Na	aot T. Uen	RECEIVED MAR 1 3 2002
/ FB 2	5 200 (Use several sheets if necessar		Filing Date: August 31, 2001	Gr up: 1632	TECH CENTER 1600/290
PER.	U.S. Patent Documents		atent Documents	Other See Po	•

Exam. Ref. Des.		·					
		Yu et al., "Adenovirus Type 5 E1A Gene Products Act as Transformation Suppressors of the neu Oncogene," Mol. Cell. Bio., 11(3):1745-1750 (1991).					
	C117	Yu et al., "C-erbB-2/neu overexpression enhanced metastatic potential in human lung cancer cells by induction of metastasis-associated properties," Cancer Res., 54:3260-3266, 1994.					
	C118	Yu et al., "Enhanced c-erbB-2/neu expression in human ovarian cancer cells correlates with more severe malignancy that can be suppressed by E1A," Cancer Res., 53:891-898, 1993.					
	C119	Yu et al., Manuscript - "Enhanced c-erbB-2/neu expression in human ovarian cancer cells correlates with more severe malignancy that can be suppressed by E1A (1992)					
	C120	Yu, et al, "Transcriptional repression of the neu Protooncogene by the Adenovirus 5 E1A Gene Products," Proc Natl Acad Sci USA, 87:4499-4503, 1990.					
	C121	Yusa, Sugimot, Yamori, Yamamoto, Toyoshima, Tsuruo, "Low metastatic potential of clone from murine colon adenocarcinoma 26 increased by transfection of activated c-erb B-2 gene," J. Natl. Cancer Inst., 82:1633-1636, 1990.					
	C122	Zhang and Hung, "Sensitization of <i>HER-2/neu</i> -overexpressing Non-Small Cell Lung Cancer Cells to Chemotherapeutic Drugs by tyrosine kinase Inhibitor Emodin," <i>Oncogene</i> 12:571-576, 1996.					
	C123	Zhang et al., "Emodin Inhibits Growth of Human Breast Cancer Cells and Induces Morphological Differentiation of These Cells by Its Supression of HER-2/neu Tryosine Kinase Activity," Abstract #2595, Experimental Therapeutics: Proceedings of the American Association for Cancer Research, 36:435, 1995.					
	C124	Zhang et al., "Amplification and Rearrangement of c-erb B Proto-Oncogenes in Cancer of Human Female Genital Tract," Oncogene, 4:985-989, 1989.					
	C125	Zhang, Chang, Hung, "Suppressed transformation and induced differentiation of HER-2/neu-overexpressing breast cancer cells by emodin," Cancer Res., 55:3890-3896, 1995.					
l	C126	Zhang, Higuchi, Totpal, Chaturvedi, Aggarwal, "Staurosporine induces the cell surface expression of both forms of human tumor necrosis factor receptors on myeloid and epithelial cells and modulates ligand-induced cellular response," J. Biol. Chem., 269:10270-10279, 1994.					

25083033.1		,		
	A \ /		/ <u>\</u>	 11/11/

#### COPY OF PAPERS ORIGINALLY FILED

Page 12 of 12

Form PTO-1449 (modified)

List of Patents and Publications for Applicant's

Arty Docket No. Serial N .
U SC:484USC1/TMB 09/943,984

nlicente

RECEIVED

Applicants

Micn-Chie Hung and Naoto T. Ueno

MAR 1 3 2002

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

Filing Date: August 31, 2001 Gr up: 1632

TECH CENTER 1600/2900

U.S. Patent Documents

See Page 1

Foreign Paten Documents

See Page 1

Other Art See Page 1

### Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
de C127		Zhang, Nakaya, Yoshida, Kuroiwa, "Bufalin as a potent inducer of differentiation of human myeloid leukemia cells," <i>Biochem. Biophys. Res. Commu.</i> , 178, 686-693, 1991.
	C128	Zhau, et al., "Amplification and expression of the c-erb B-2/neu proto-oncogene in human bladder cancer", Chemical Abstracts, 114(21):205-Abstract No. 114:200732Z, 1991.
	C129	Zhou, et al., "A Retrovirus Vector which Transduces a Functional Estrogen Receptor Gene at High Efficiency," Mol. Endocrinology, 3(7):1157-1164, 1989.
	C130	International Search Report dated July 7, 1997 (UTFC:484P)
	Ueno et al., "E1A Paclitaxel Sensitization in HER-2neu-overexpressing Ovarian Cancer SKOV3.ipl through Apoptosis Involving the Capspae-3 Pathway <sup>1</sup> ," Clinical Cancer Research, 6:250-259, 2000.	
	C132	Lowe et al., "p53-Dependant Apoptosis Modulates the Cytotoxicity of Anticancer Agents," Cell, 74:957-967, 1993.
1	C133	Thatcher et al. Cancer, 63:1296-1302, 1989.
	C134	Valenti et al., Eur. J. Cancer, 29A:1157-1161, 1993.
A.	C135	Pietras et al., Oncogene, 9:1829-1838, 1994.

25083033.1

Examiner: Delicerch (1000) Dat C nsider d: 11/15/04